			RIS	SK ASSESS	ME	ΞN	JT					
Site Location	ation Grange Lane Task/Acti		Task/Activity	Entrance – Keypad/Intercom		Risk Assessment No:					RA/RM/HS/03B	
Completed By:	Risk		Reason for Risk Assessment	Covid 19 -Coronavirus	Dat	Date:				24/02/2022		
Signed:			SWP Ref. No:	03B	Re	Review Date:				24/05/2022		
Persons at Risk	⊠ IIA ⊠	Membe	rs 🗌 Contracto	•							, , -	
Hazard Identi	fication	w	ho might be harmed	Controls Required	Severity of Harm		Likelihood of Occurrence		Risk Rating	Fur	ther Control Mea Necessary	sures
Spread of Covid19- sand variants Touch transmission touching virus contasurfaces. Non-vaccinated indi	by humans aminated	health Anyon comes you. Contra Drivers Memb and Vis	with underlying conditions. e who physically into contact with ctors (Delivery s) ers of the Public sitors	Members and visitors to be advised to carry own Hand Sanitizer Cleaning Frequently cleaning and disinfecting objects and surfaces, switches, using appropriate cleaning products and methods. — delegated to duty officer	4	x	1	II	4	random	ittee Officers will u spot checks to ens ince by duty officer	sure

Officer	Helen Shaw	Signature	Date:			

RISK ASSESSMENT ACTION PLAN						
Further control measures necessary	Agreed actions:	Actionee:	Date Due:	Date Action Completed:		

TNC

RISK ASSESSMENT GUIDANCE

Hazard Identification						
When undertaking a risk assessment consider the following hazards (this list is not exhaustive and other hazards may be present						
Acid	Falling / flying objects	Other people				
Adverse weather	Falls from height	Physiological Capabilities (Human Factors)				
Asphyxiation / drowning	Ground collapse / failure	Pressure systems				
Chemicals / harmful substances	Heat / fire / explosion	Psychological Capabilities (Human Factors)				
Confined spaces	High / low temperature	Structural failure				
Contact with moving parts / machinery	Human Behaviour	Underground / overhead services				
Dust / fumes	Inadequate Lighting	Uneven ground				
Electricity	Lone Working	Unsafe access / egress				
Explosion	Machines / objects overturning	Use of power tools				
Failure of lifting equipment	Manual handling	Vehicle movements				
Failure of tools / equipment	Noise	Vibration exposure				

Persons at Risk						
All	Members	Young Persons	Contractors	Visitors	Member of Public	

	RA - Form Guidance
(1) Hazard Identification	Put in all the potential hazards associated with the task (Consider hazard list above).
(2) Associated Risk(3) Current Controls	Put in the likely effects i.e. cuts, burns, broken limbs, damage to property.
(3) Current Controls	Put in the existing controls i.e. SWP, procedures, Guards, demarcation, PPE.
(4) Severity of Harm	Estimate the severity (Scale 1 to 5 see severity indicator).
(5) Likelihood of Occurrence	Estimate the likelihood (Scale 1 to 5 see likelihood indicator).
(6) Risk Rating	Multiply the severity of harm score with the likelihood of occurrence score.
(7) Further controls necessary	State if further controls are required to control / reduce the risk. Complete action plan

	Severity				
1	Minor injury no lost time				
2	Minor Lost time Injury under 7 days				
3	Serious lost time injury over 7 days				
4	Major Injury (Specified Major under RIDDOR)				
5	Fatality				

	Likelihood					
1	Rare (may occur only in exceptional circumstances)					
2	Unlikely (may occur sometime)					
3	Possible (should occur at sometime)					
4	Likely (event will probably occur in most circumstances)					
5	Almost certain (event is expected to occur in most circumstances)					

Risk rating					
High 15 to 25	UNACCEPTABLE RISK - Stop the task or do not allow it to start until further controls have been implemented in order to reduce the risk as low as is reasonably practicable (a balance of cost and risk) and ideally to achieve a low risk rating.				
Medium 7 to 14	RISK MAY BE UNACCEPTABLE - It may be acceptable to implement temporary control measures to achieve the required level of risk reduction until more permanent measures are in place.				
Low 1 to 6	ACCEPTABLE RISK - Task may continue presuming controls are implemented and monitored. Where additional low or no cost control measures can be implemented, particularly where this encourages employee engagement, these should be considered.				

	Hierarchy of Control				
E liminate	Get rid of the hazard; replace it with something less hazardous.				
Reduce	Reduce the level of risk by reducing the nature of the hazard, e.g. use small quantities, lower voltage etc				
I solate	Isolate the hazard from people, for example by guarding				
Control	Control exposure to the hazard by controlling who has access or limiting exposure time				
P PE	Personnel Protective Equipment				
D iscipline	Training and Supervision				